



İstanbul MEDICAL JOURNAL

İ S T A N B U L T İ P D E R G İ S İ

VOLUME 20 • ISSUE 1 • JANUARY 2019

Original Articles

Robotic Rectal Cancer Surgery
Özben et al. İstanbul, Turkey

Lymph Node Metastasis in Endometrial
Cancer
Taş et al. Ankara, Turkey

NLR and PLR in Endometrioma
Derya Sivri Aydın. İstanbul, Turkey

Laryngeal EMG Findings in Hoarseness
Öğreden et al. İstanbul Çorum, Turkey

Functional Results of Surgery for
Otosclerosis
Tuna Edizer et al. İstanbul, Turkey

Outcomes of Cataract Surgery with Iris
Hook: Our Experience
Alıkma et al. İstanbul, Turkey

A Violet-light Filtering Aspheric IOL
Yaşa et al. İstanbul Kırklareli, Turkey

Tibialis Anterior Transfer and Metatarsus
Adductus
Özyalvaç et al. İstanbul, Turkey

Comparison of Supraclavicular and
Infraclavicular Blocks

Ferlengez and Aldemir. İstanbul, Turkey

DEB Angioplasty, Femoropopliteal
Lesions and ESRD

Teymen and Aktürk. İstanbul, Turkey

Irradiation Trends for Glioblastoma
Multiforme

İbiş et al. İstanbul, Turkey

NLR in Treatment Response in ITP
Eren et al. İstanbul, Turkey

Hypoxia Inducible Factor and Kidney
Usta Atmaca and Oğuz. İstanbul, Turkey

Clinical Frailty Score in Patients with
Transcatheter Aortic Valve Implantation
Durmuş et al. İstanbul, Turkey

Computerized Drug Interaction Checker
Programs

Şimşek et al. İstanbul, Turkey

istanbulmedicaljournal.org



İstanbul MEDICAL JOURNAL

İ S T A N B U L T İ P D E R G İ S İ

Owned by on behalf of the Health Sciences University İstanbul Training and Research Hospital
Özgür YİĞİT

Executive Editor
Tevfik Fikret ÇERMİK

Editor in Chief
Tevfik Fikret ÇERMİK
Clinic of Nuclear Medicine, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey

Associate Editors
Turgut KARABAĞ
Department of Cardiology, Bülent Ecevit University School of Medicine, Zonguldak, Turkey

Serkan SARI
Clinic of General Surgery, Health Sciences University, İstanbul Training and Research Hospital, İstanbul, Turkey

Behiye Pınar GÖKSEDEF
Clinic of Obstetrics and Gynecology, Health Sciences University İstanbul Haseki Training and Research Hospital, İstanbul, Turkey

Feray AKBAŞ
Clinic of Internal Diseases, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey

Owner
Özgür YİĞİT
Clinic of Otorhinolaryngology, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey

Publishing Manager
Tevfik Fikret ÇERMİK
Clinic of Nuclear Medicine, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey



Galenos Publishing House
Owner and Publisher
Erkan Mor

Publication Coordinator
Burak Sever

Web Coordinators
Soner Yıldırım
Turgay Akpınar

Graphics Department
Ayda Alaca
Çiğdem Birinci
Gülşah Özgül

Project Coordinators
Eda Koluksa
Hatice Balta
Lütfiye Ayhan İrtem
Sedanur Sert
Zeynep Altındağ

Project Assistants
Gamze Aksoy
Nurcan Acarçağ

Finance Coordinator
Sevinç Çakmak

Research&Development
Kerim Sancar Ölmez

Publisher Contact

Address: Molla Gürani Mah. Kaçamak Sk. No: 21/1
34093 İstanbul, Turkey
Phone: +90 (212) 621 99 25 Fax: +90 (212) 621 99 27
E-mail: info@galenos.com.tr/yayin@galenos.com.tr
Web: www.galenos.com.tr

Publisher Certificate Number: 14521

Printing at: Üniform Basım San. ve Turizm Ltd. Şti.
Matbaacılar Sanayi Sitesi 1. Cad. No: 114 34204 Bağcılar, İstanbul, Turkey
Phone: +90 (212) 429 10 00

Certificate Number: 42419

Printing Date: January 2019

ISSN: 2619-9793 E-ISSN: 2148-094X

International periodical journal published three times in a year.



İstanbul MEDICAL JOURNAL

İ S T A N B U L T I P D E R G İ S İ

Advisory Board

N. Volkan ADSAY

Department of Pathology, Emory University Hospital,
Atlanta GA, USA

Sedat ALTIN

Clinic of Chest Diseases, Health Sciences University Yedikule
Chest Diseases and Chest Surgery Training and Research Hospital,
Istanbul, Turkey

Ferihan ARAL

Department of Endocrine Diseases, Istanbul University
Istanbul School of Medicine, Istanbul, Turkey

Baki ARPACI

Department of Neurology, Bakırköy Psychiatric Hospital,
Istanbul, Turkey

Talip ASİL

Department of Neurology, Bezmialem Vakif University
School of Medicine, Istanbul, Turkey

Ali ATAŞ

Department of Child Health and Diseases, Harran University
School of Medicine, Şanlıurfa, Turkey

Yağmur AYDIN

Department of Plastic and Reconstructive Surgery, Istanbul
Unviersity-Cerrahpaşa School of Medicine, Istanbul, Turkey

Mustafa BAŞBUĞ

Department of Gynecology and Obstetrics, Erciyes University
School of Medicine, Kayseri, Turkey

Hasan BEKTAŞ

Clinic of General Surgery, Health Sciences University Istanbul
Training and Research Hospital, Istanbul, Turkey

Levent CANSEVER

Health Sciences University, Yedikule Chest Diseases and Chest
Surgery Training and Research Hospital, Clinic of Chest Surgery
Istanbul, Turkey

Nil ÇAĞLAR

Clinic of Physical Therapy and Rehabilitation, Health Sciences
University Istanbul Training and Research Hospital,
Istanbul, Turkey

Gürhan ÇELİK

Clinic of General Surgery, Health Sciences University Istanbul
Training and Research Hospital, Istanbul, Turkey

Oğuz ÇETİNKALE

Department of Plastic and Reconstructive Surgery, Istanbul
Unviersity-Cerrahpaşa School of Medicine, Istanbul, Turkey

Fuat DEMİRKIRAN

Department of Gynecology and Obstetrics, Istanbul Unviersity-
Cerrahpaşa School of Medicine, Istanbul, Turkey

Feza EKİZ

Department of General Surgery, Hepatobiliary Surgery and
Gastrointestinal Surgery, Istanbul University Istanbul
School of Medicine, Istanbul, Turkey

Murat ELEVİLİ

Clinic of Child Health and Diseases, Health Sciences University
Istanbul Haseki Training and Research Hospital, Istanbul, Turkey

Haluk EMİR

Department of Pediatric Surgery, Istanbul Unviersity-Cerrahpaşa
School of Medicine, Istanbul, Turkey

Veysel ERDEN

Clinic of Anesthesiology and Reanimation, Health Sciences
University Istanbul Training and Research Hospital,
Istanbul, Turkey

Fusun ERDENEN

Clinic of Internal Medicine, Health Sciences University
Istanbul Training and Research Hospital, Istanbul, Turkey

Acar AREN

Clinic of General Surgery, Health Sciences University
Istanbul Training and Research Hospital, Turkey

Elvan ERHAN

Department of Algology, Ege University School of Medicine,
Izmir, Turkey

Selim GÖKÇE

Department of Pediatric Gastroenterology, Biruni University
School of Medicine, Istanbul, Turkey

Gonca GÖKDEMİR

Clinic of Dermatology, Health Sciences University Şişli Hamidiye
Etfal Training and Research Hospital, Istanbul, Turkey

Mehmet Salih GÜREL

Department of Dermatology, Istanbul Medeniyet University
School of Medicine, Istanbul, Turkey

Abdil Cem İBİŞ

Department of General Surgery, Hepatobiliary Surgery, Istanbul
University Istanbul School of Medicine, Istanbul, Turkey

Gökhan İPEK

Department of Cardiovascular Surgery, Istanbul Unviersity-
Cerrahpaşa School of Medicine, Istanbul, Turkey

Sibel KALAÇA

Department of Public Health, Marmara University
School of Medicine, Istanbul, Turkey



İstanbul MEDICAL JOURNAL

İ S T A N B U L T İ P D E R G İ S İ

Kamil KAYNAK

Department of Thoracic Surgery, İstanbul University-Cerrahpaşa School of Medicine, İstanbul, Turkey

Mehmet Yaşar KAYNAR

Department of Neurosurgery, İstanbul University-Cerrahpaşa School of Medicine, İstanbul, Turkey

Esra SAĞLAM KAYTAN

Department of Radiation Oncology, İstanbul University İstanbul School of Medicine, İstanbul, Turkey

Hayrettin KESMEZACAR

Department of Orthopedics and Traumatology, İstanbul Bilim University School of Medicine, İstanbul, Turkey

Özgür KILIÇKESMEZ

Clinic of Radiology, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey

Altan KIR

Clinic of Thoracic Surgery, Department of Thoracic and Cardiovascular Health, Anadolu Health Centre, Kocaeli, Turkey

Zafer KOÇAK

Department of Radiation Oncology, Trakya University School of Medicine, Edirne, Turkey

Uğur KORMAN

Department of Radiodiagnosics, İstanbul University-Cerrahpaşa School of Medicine, İstanbul, Turkey

Kadir KOTİL

Academy of Medical Science, İstanbul Arel University School of Health Sciences, İstanbul, Turkey

Güniz MEYANCI KÖKSAL

Department of Anesthesiology and Reanimation, İstanbul University-Cerrahpaşa School of Medicine, Turkey

Cüneyt MÜDERRİSOĞLU

Department of Internal Medicine, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey

Öner ÖZDEMİR

Department of Pediatrics, Division of Pediatric Allergy and Immunology, Sakarya University Faculty of Medicine, Sakarya, Turkey

Yusuf ÖZTÜRKMEN

Clinic of Orthopedics, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey

Zuhal PARILDAR

Department of Biochemistry, Ege University School of Medicine, İzmir, Turkey

Mehmet Emin PIŞKINPAŞA

Clinic of Internal Medicine, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey

Ziya SALİHOĞLU

Department of Anesthesiology and Reanimation, Cerrahpaşa School of Medicine, İstanbul University, İstanbul, Turkey

Kaya SARİBEYOĞLU

Department of General Surgery, İstanbul University-Cerrahpaşa School of Medicine, İstanbul, Turkey

Atakan SEZER

Department of General Surgery, Trakya University School of Medicine, Edirne, Turkey

Yunus SÖYLET

Department of Pediatric Surgery, İstanbul University-Cerrahpaşa School of Medicine, İstanbul, Turkey

Ali İhsan TAŞÇI

Clinic of Urology, Bakırköy Dr. Sadi Konuk Training and Research Hospital, İstanbul, Turkey

Mahmut Gökhan TOKTAŞ

Clinic of Urology, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey

Emine Nur TOZAN

Department of Algology, İstanbul University İstanbul School of Medicine, İstanbul, Turkey

Volkan TUĞCU

Clinic of Urology, Bahçelievler Memorial Hospital, İstanbul, Turkey

Yalçın TÜZÜN

Department of Dermatology, İstanbul University-Cerrahpaşa School of Medicine, İstanbul, Turkey

Ayşe YALIMAN

Department of Physical Medicine and Rehabilitation, İstanbul University İstanbul School of Medicine, İstanbul, Turkey

Nurhayat YILDIRIM

Department of Chest Diseases, İstanbul University-Cerrahpaşa School of Medicine, İstanbul, Turkey

Orhan YILMAZ

Clinic of Otolaryngology, Health Sciences University Dışkapı Yıldırım Beyazıt Training and Research Hospital, Ankara, Türkiye

Özgür YIĞIT

Clinic of Otorhinolaryngology, Health Sciences University İstanbul Training and Research Hospital, İstanbul, Turkey



istanbul MEDICAL JOURNAL

İ S T A N B U L T İ P D E R G İ S İ

AIMS AND SCOPE

Istanbul Medical Journal is the scientific, peer reviewed, open access publication of Istanbul Training and Research Hospital. The journal is printed six times in a year; on January, March, May, July, September, November and its publication language is Turkish and English.

The aim of the journal is to publish high level clinical and experimental studies conducted in all medical branches, reviews comprising the latest research findings, reports on rare and educative cases and letters to the editor.

The journal follows double-blinded peer-review process by external and independent reviewers in evaluation and approval of the manuscripts for publication.

The target population of the journal includes specialists in all medical branches, academicians and relevant health care professionals.

Publication policy and editorial processes follow the guidelines of International Committee of Medical Journal Editors (ICMJE), World Association of Medical Editors (WAME), Council of Science Editors (CSE), European Association of Science Editors (EASE) and Committee on Publication Ethics (COPE).

The Istanbul Medical Journal is indexed in Web of Science-Emerging Sources Citation Index, TUBITAK ULAKBIM TR Index, EBSCO, Index Copernicus and GALE.

The journal is financially supported by Istanbul Training and Research Hospital.

The journal is an open access publication and the content may be accessed free of charge through the web site (istanbulmedicaljournal.org - istanbultipdergisi.org). Printed copies are released in limited numbers and those willing to subscribe should refer to the Editorial Office.

Istanbul Training and Research Hospital is the sole copyright holder of the name and brand of the journal and all materials contained in the content. Any part of the content may be quoted only by providing reference to the journal; for all other utilizations, permission should be obtained from Editorial Office.

Editor: Tefik Fikret ÇERMİK

Address: Clinic of Nuclear Medicine, Health Sciences University Istanbul Training and Research Hospital, Istanbul, Turkey

Phone: +90 (212) 459 64 53

Fax: +90 (212) 530 80 55

E-mail: tevfik.cermik@sbu.edu.tr

Publisher : GALENOS PUBLISHING HOUSE

Address: Molla Gürani Mah. Kaçamak Sk. No: 21/1 Fındıkzade 34093 Istanbul, Turkey

Phone: +90 (212) 621 99 25

Fax: +90 (212) 621 99 27

E-mail: info@galenos.com.tr/yayin@galenos.com.tr

Web: www.galenos.com.tr



istanbul MEDICAL JOURNAL

İ S T A N B U L T İ P D E R G İ S İ

INSTRUCTIONS TO AUTHORS

Istanbul Medical Journal publishes all qualified clinical and experimental studies conducted in all scientific branches relevant to human health. Reviews on contemporary topics that would be useful for the education of physicians and other health care professionals working in the medical field and to help improve their clinical practice, case reports on rare clinical pictures, editorial comments and letters to the editor are also within the scope of the journal.

Evaluation of the manuscripts is based on double-blind peer-review by external and independent reviewers. The most important conditions for approval include attaining high scientific value and having high citation potential.

It is mandatory that submitted manuscripts have not been published or accepted for publication elsewhere. Referring reviewer evaluation reports from previous submissions that were concluded with rejection will accelerate the evaluation process.

In the first phase of the evaluation by Istanbul Medical Journal, manuscripts are checked for plagiarism, replication and duplicate publication. Detected violations are treated in accordance with the guidelines of the Committee on Publication Ethics (COPE) and necessary sanctions are imposed.

The manuscripts are prepared in accordance with the standards of ICMJE- Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals (updated in December 2017 - <http://www.icmje.org/icmje-recommendations.pdf>) issued by International Committee of Medical Journal Editors (ICMJE). Authors should follow CONSORT for the reporting of randomized trials, STROBE for observational studies, STARD for diagnostic studies, PRISMA for systematic reviews and meta-analyses, ARRIVE for animal studies, and TREND for non-randomized behavioral and public health intervention studies.

Protection of authorship rights and prevention of ghost and honorary authorship are important elements of the editorial policy of the journal. For this purpose, Author Contribution Form stating individual contributions of each author should be filled and submitted to the journal by the corresponding author. During the evaluation process, Editors or Reviewers may request removal of certain names or inclusion of these names in the Acknowledgements section due to their insufficient contribution on the manuscript. Upon approval of the manuscript for publication, addition to or removal from the author list or any changes in the author order may not be requested.

Financial supports received for the preparation of the manuscript and conflict of interests should be declared. ICMJE Potential Conflict of Interests Disclosure Form should be signed by all authors at the time of submission of the manuscript and delivered to the Editorial Office.

Ethical principles in line with the international standards should be followed while conducting the research and preparing the manuscript. Ethics committee approval prepared in accordance with "WMA Declaration of Helsinki-Ethical Principles for Medical Research Involving

Human Subjects" and "Guide for the Care and Use of Laboratory Animals" is required for experimental and clinical studies. During the evaluation process, the authors may be asked to submit this report or a substitute official report, if required.

Approval of local or Ministry of Health Clinical Research Ethics Committee should be obtained for studies conducted on human subjects and for experimental animal studies. The authors are to send Ethics Committee report indicating the approval with issue date and number before approval of the manuscript, when requested. For experimental animal studies, at least one of the authors is required to have Experimental Animals Utilization Certificate. The authors are required to send the certification before approval of the manuscript, when requested.

The copyright of all submitted manuscripts are transferred to Istanbul Medical Journal. All authors should sign Copyright Transfer Form during the submission. Copyright will be automatically returned to the authors if the manuscript is not accepted for publication. Authors are responsible for the content of the text and all contained materials. In case of obtaining any table, figure, or all other image from different sources all financial liability and legal responsibility associated with the copyright of these materials which is protected by national and international laws, the responsibility belong to the authors. Authors will be responsible for all losses that the journal would suffer.

The journal only accepts papers written in Turkish or in English. Title, abstract and keywords of the manuscripts received from countries other than Turkey will be translated into Turkish by the journal.

The manuscripts are initially reviewed by the Editors. Manuscripts deemed not to be appropriate to the publication policy and general instructions of the journal are returned to the author. Manuscripts are evaluated by at least 2 reviewers after passing the editorial review. Reviewers are selected among independent experts having publications in the international literature on the topic of the manuscript.

Research articles, systematic reviews and meta-analyses are also evaluated by statistical consultants.

The authors are deemed to have accepted that required revisions are to be made by the journal provided that this will not make a substantial change in the main text and in the objectives of the manuscript.

If the manuscript is withdrawn by the authors during the evaluation process, the submission will be concluded as "rejection". The submission will also be rejected if the author does not respond timely for the manuscripts returned for revision.

Abbreviations should be completely spelled out in first use and the abbreviation should be given in parentheses after the definition. Abbreviations should be avoided in the title.

Pharmaceuticals should be specified with their generic names, and medical products and devices should be identified with brand name and company name, including city and country.



istanbul MEDICAL JOURNAL

İ S T A N B U L T İ P D E R G İ S İ

INSTRUCTIONS TO AUTHORS

Anatomic terms and the names of the microorganisms should be used in their original forms in italic characters. Name of the microorganism should be written out in full in the first mention, then abbreviated by capitalizing the first name followed by a full stop and the name of the species should be written in lower case letters (Example; *Streptococcus pneumoniae*, *S. pneumoniae*) (With submissions in Turkish, if only a species name is being mentioned, the name of the microorganism can be written in (Example: *Lejyonella*). Text documents should be prepared in Microsoft Word using 12 point Times New Roman font and with single line spacing.

For double-blind peer-review, names, affiliations should not be included in any part of the text document, tables or images. Technical specifications of different types of manuscripts are given below.

The following forms should be uploaded during submission. Any procedure regarding the submitted manuscript will not be carried out until the delivery of these forms.

• Copyright Transfer Form

Should be signed by all authors and uploaded to the system. If the authors are in different institutions and addresses, each author can sign his/her own separate form.

• Author Contribution Form

Corresponding author should include the names of the authors who contributed to the preparation of the study and the manuscript and upload into the system after signing the form.

• Title Page

Title page should be uploaded to the online submission system as a separate document and should include the title of the study in full, short title, open names of the authors with the current academic degrees, affiliations, and city and country names. Name, mail and e-mail addresses, and phone and fax numbers of the corresponding author should also be included. If the study had been presented at a meeting prior to the submission, the name, date and the place of the meeting should be stated in the page. Also, if there are any individuals or institutions to acknowledge, it should be stated in this page.

Manuscript documents should be prepared in the following format.

Original Research

• Abstracts should be submitted through the online submission system and they should be structured with "Objective, Methods, Results and Conclusion" headings without exceeding 250 words. Minimum 3, maximum 6 keywords should be provided with each submission. Keywords in English should conform to Medical Subject Headings (MeSH) terms prepared by National Library of Medicine (NLM) (<http://www.nlm.nih.gov/mesh/MBrowser.html>) while keywords in Turkish should conform to Turkish Science Terms (<http://www.bilimterimleri.com>).

• Main Text should be submitted in a single document and should include Introduction, Methods, Results, Discussion, Conclusion, and

References sections. Author and Institution information should not be included in the main document. Tables, figures, images, statement of conflict of interest and statement of financial support, if available, are placed at the end of the manuscript. Main text should not exceed 5000 words and the number of references should be limited to 50.

• Statistical analyses should be conducted in accordance with the international standards of statistical reporting (Altman DG, Gore SM, Gardner MJ, Pocock SJ. Statistical guidelines for contributors to medical journals. *Br Med J* 1983; 7: 1489-93). Statistical software should certainly be specified. Data should be expressed as mean \pm standard deviation when parametric tests are used to compare continuous variables. Data should be expressed as median (minimum-maximum) or percentile (25th and 75th percentiles) when non-parametric tests are used. In advanced and complicated statistical analyses, relative risk (RR), odds ratio (OR), and hazard ratio (HR) should be supported by confidence intervals (CI) and p values.

Review

• Upon invitation from the journal, reviews are prepared by authors who are experienced and knowledgeable on a particular field and who have higher number of publications and higher citation potential in the international literature. The review should be prepared to explain, discuss, and evaluate the latest position attained in a particular topic for use in the clinical practice and should guide future studies.

• The manuscript file should contain the title in full, short title, unstructured abstract not exceeding 250 words, minimum 3 and maximum 6 keywords (keywords in English should conform to Medical Subject Headings (MeSH) terms prepared by National Library of Medicine (NLM) while keywords in Turkish should conform to Turkish Science Terms (<http://www.bilimterimleri.com>)), main text divided into subheadings by the authors according to the subject discussed (suggested subheadings include Introduction, Clinical and Research Outcomes and Conclusion), references, tables, figures and images. Author and Institution information should not be included in the main document. The text should not exceed 5000 words and the number of references should be maximum 50.

Case Report

• Due to limited place spared for the case reports in the journal, only reports on rare cases that constitute challenges in the diagnosis and treatment, those offering new treatment methods or revealing knowledge not included in the books, and interesting and educative case reports are accepted for publication.

• The manuscript file should contain the title in full, short title, unstructured abstract not exceeding 250 words, minimum 3 and maximum 6 keywords (keywords in English should conform to Medical Subject Headings (MeSH) terms prepared by National Library of Medicine (NLM) while keywords in Turkish should conform to Turkish Science Terms (<http://www.bilimterimleri.com>)), main text divided into subheadings of Introduction, Case Report, Discussion, Conclusion, References, tables



istanbul MEDICAL JOURNAL

İ S T A N B U L T İ P D E R G İ S İ

INSTRUCTIONS TO AUTHORS

and images. Author and Institution information should not be included in the main document. The text should not exceed 1000 words and the number of references should be limited to 10.

Letter to the Editor

• Manuscripts discussing the importance, overlooked features and deficient parts of a previously published study, comments on the subjects that might attract the readers' attention and particularly those on educative cases are submitted in the form of Letter to the Editor. Apart from the experts in a particular field, other readers can also submit their comments in the form of Letter to the Editor.

• The manuscript file should contain title, unstructured main text not exceeding 500 words, and maximum 5 references. If the letter is concerning a previously published study, this study should be included as the first reference and cited in the document. This type of manuscript does not contain abstract and keywords.

All images (i.e. tables, figures, graphs) should be numbered in order of citation within the text. Abbreviations should be explained in alphabetical order at the footnote. Roman numerals should be avoided while numbering the Tables and Figures, or while identifying the tables in the text. Decimal fractions in the text, tables and figures should be separated by decimal points in sections in English and commas in sections in Turkish. Graphs, pictures and photographs should be in high resolution with minimum 300 dpi.

The references should be given using Arabic numerals after "et al." within the sentence or in parentheses (i.e. "(35).") at the end of the sentence and should be numbered at the end of the text in the order cited. Only published data or manuscripts accepted for publication and particularly the latest publications should be included. Authors are responsible for the accuracy of the references. Inaccessible data sources and those not indexed in any database should be omitted. Titles of the journals should be abbreviated according to Index Medicus-NLM Style (Patrias K. Citing medicine: the NLM style guide for authors, editors, and publishers [Internet]. 2nd ed. Wendling DL, technical editor. Bethesda (MD): National Library of Medicine (US); 2007 - [updated 2011 Sep 15; cited Year Month Day] (<http://www.nlm.nih.gov/citingmedicine>). All authors should be listed if an article has six or less authors; if an article has more than six authors, first six authors are listed and the rest is represented by "ve ark." in Turkish articles and by "et al." in English articles. Reference format and punctuation should be as in the following examples.

Journal Article: You CH, Lee KY, Chey WY, Menguy R. Electrogastrographic study of patients with unexplained nausea, bloating, and vomiting. *Gastroenterology* 1980; 79: 311-4.

Book with single author: Colson JH, Armour WJ. Sports injuries and their treatment. 2nd ed. London: S. Paul; 1986.

Section in a Book: Weinstein L, Swartz MN. Pathogenic properties of invading microorganisms. In: Sodeman WA Jr, Sodeman WA, editors.

Pathologic physiology: mechanisms of disease. Philadelphia: W.B. Saunders; 1974.p.457-72.

Editor(s) as author: Norman IJ, Redfern SJ, editors. Mental health care for elderly people. New York: Churchill Livingstone; 1996.

Conference Proceedings: Bengissoon S. Sothemin BG. Enforcement of data protection, privacy and security in medical informatics. In: Lun KC, Degoulet P, Piemme TE, Rienhoff O, editors. MEDINFO 92. Proceedings of the 7th World Congress on Medical Informatics; 1992 Sept 6-10; Geneva, Switzerland. Amsterdam: North-Holland; 1992.p.1561-5.

Scientific or Technical Report: Smith P, Golladay K. Payment for durable medical equipment billed during skilled nursing facility stays. Final report. Dallas (TX) Dept. of Health and Human Services (US). Office of Evaluation and Inspections: 1994 Oct. Report No: HHSIGOE 169200860.

Thesis: Kaplan SI. Post-hospital home health care: the elderly access and utilization (dissertation). St. Louis (MO): Washington Univ. 1995.

Manuscripts accepted for publication, not published yet: Leshner AI. Molecular mechanisms of cocaine addiction. *N Engl J Med* In press 1997.

Epub ahead of print Articles: Aksu HU, Ertürk M, Gül M, Uslu N. Successful treatment of a patient with pulmonary embolism and biatrial thrombus. *Anadolu Kardiyol Derg* 2012 Dec 26. doi: 10.5152/akd.2013.062. [Epub ahead of print].

Manuscripts published in electronic format: Morse SS. Factors in the emergence of infectious diseases. *Emerg Infect Dis* (serial online) 1995 Jan-Mar (cited 1996 June 5): 1(1): (24 screens). Available from: URL: <http://www.cdc.gov/ncidod/EID/cid.htm>.

Istanbul Medical Journal accepts submission only over the web page at istanbulmedicaljournal.org - istanbultipdergisi.org. Information about the current status of the submitted manuscripts can be accessed at istanbulmedicaljournal.org - istanbultipdergisi.org. Contact details of the Editorial Office and the Publisher are given below for correspondence in every respect.

Editor : Tefvik Fikret ÇERMİK

Address : Clinic of Nuclear Medicine, Health Sciences University Istanbul Training and Research Hospital, Istanbul, Turkey

Phone: +90 (212) 459 64 53

Fax: +90 (212) 530 80 55

E-mail: tevfik.cermik@sbu.edu.tr

Publisher : GALENOS PUBLISHING HOUSE

Address: Molla Gürani Mah. Kaçamak Sk. No: 21/1 Fındıkzade 34093 Istanbul, Turkey

Phone: +90 (212) 621 99 25

Fax: +90 (212) 621 99 27

E-mail: info@galenos.com.tr/yayin@galenos.com.tr

Web: www.galenos.com.tr



İstanbul MEDICAL JOURNAL

İ S T A N B U L T İ P D E R G İ S İ

CONTENTS

Original Articles

- 1 **Robotic Rectal Cancer Surgery with the da Vinci Xi System: First 100 Cases**
Volkan Özben, Alper Doğruöz, Salih Anıl Boğa, Erman Aytaç, Bilgi Baca, İsmail Hamzaoğlu, Tayfun Karahasanoğlu; İstanbul, Turkey
- 8 **Assessment of Risk Factors for Lymph Node Metastasis in Endometrial Cancer**
Emre Erdem Taş, Gülin Feykan Yeğin Akçay, Hüseyin Levent Keskin, Edip Alptuğ Kir, Ayşe Filiz Yavuz; Ankara, Turkey
- 13 **Diagnostic Performance of Neutrophil/Lymphocyte Ratio and Platelet/Lymphocyte Ratio in Endometrioma**
Derya Sivri Aydın; İstanbul, Turkey
- 17 **Investigation of Superior Laryngeal Nerve Disorders with Laryngeal Electromyography in Patients with Hoarseness**
Şahin Öğreden, Asım Kaytaş, Ferhan Öz, Nurten Uzun Adatepe, Mustafa Şahin; İstanbul, Çorum, Turkey
- 21 **Functional Results of Surgery for Otosclerosis**
Deniz Tuna Edizer, Müge Fethiye Yürekli Altındağ, Özgür Yiğit, Ahmet Görkem Yasak; İstanbul, Turkey
- 26 **Outcomes of Cataract Surgery with Iris Hook: Our Experience**
Mustafa Suat Alıkma, Erkan Ünsal, Mehmet Özgür Çubuk, Kadir Eltutar; İstanbul, Turkey
- 31 **Clinical Results of a Violet-light Filtering Aspheric Intraocular Lens**
Dilek Yaşa, Ali Demircan, Banu Acar, Merve Torun, Onur Ölçücü, Ufuk Ürdem, Alper Ağca, Ahmet Demirok; İstanbul, Iğdır, Kırklareli, Turkey
- 35 **The Effect of Tibialis Anterior Tendon Transfer on Metatarsus Adductus Deformity in Children with Clubfoot**
Osman Nuri Özyalvaç, Akay Kırat, Evren Akpınar, Yaşar Mahsut Dinçel, Barış Özkul, Avni İlhan Bayhan; İstanbul, Turkey
- 39 **Comparison of Infraclavicular and Supraclavicular Brachial Plexus Block in Upper Extremity Surgery**
Ayşe Gül Ferlengeç, Mustafa Tayfun Aldemir; İstanbul, Turkey
- 44 **Drug-eluting Balloon Angioplasty for Complex Femoropopliteal Lesions in Patients with End-stage Renal Disease**
Burak Teymen, Süleyman Aktürk; İstanbul, Turkey
- 49 **Changing Trends in Radiotherapy for Glioblastoma Multiforme and Effects on Normal Tissue Doses**
Kamuran İbiş, Canan Köksal, Uğur Akbaş, Musa Altun; İstanbul, Turkey
- 54 **Neutrophil Lymphocyte Ratio in Estimating Response to Corticosteroid Treatment in Immune Thrombocytopenia Patients**
Rafet Eren, Mehmet Ünal, Abdülkadir Karışmaz, Mehmet Hilmi Doğu, Hilal Tan Köker, Şermin Altındal, Osman Yokuş, Elif Suyanı; İstanbul, Turkey



İstanbul MEDICAL JOURNAL

İ S T A N B U L T İ P D E R G İ S İ

CONTENTS

- 58 **Role of Hypoxia Inducible Factor-1 Alpha in Early Stage Renal Failure and Its Relationship with Biochemical and Inflammatory Parameters**
Hanife Usta Atmaca, Osman Oğuz; İstanbul, Turkey
- 63 **Correlation Between Psoas Muscle Area and Clinical Frailty Score in Patients with Transcatheter Aortic Valve Replacement**
Gündüz Durmuş, İbrahim Akkoç, Erdal Belen, Fatma Esra Günaydın, Mehmet Mustafa Can; İstanbul, Turkey
- 67 **The Importance of Computerized Drug Interaction Checker Programs Used in Community Pharmacies to Avoid Potential Drug Interactions: A Preliminary Study with Clarithromycin**
Abdullah Şimşek, Neda Taner, Çağlar Macit, Barkın Berk, Güldem Mercanoğlu; İstanbul, Turkey
- Case Reports**
- 72 **A Rare Cause of Colon Perforation; Intrauterin Device**
Onur Olgaç Karagülle, Erkan Yavuz, Hüseyin Bilge, Barış Sana, Aydın Zilan, Fatih Çelebi; Diyarbakır, İstanbul, Gaziantep, Turkey
- 75 **Spontaneous Intramuscular Hematoma due to Subcutaneous Enoxaparin**
Ahmet Gürdal, Mustafa Kemal Yeniay, Şükrü Çetin, Kadriye Kılıçkesmez; İstanbul, Turkey
- 78 **Does Attenuated Mckittrick-Wheelock Syndrome Exists?**
Sadettin Er, Bülent Cavit Yüksel, Sabri Özden, Deniz Tikici, Barış Doğu Yıldız, Mesut Tez; Ankara, Turkey
- Letter to the Editor**
- 80 **Disease Severity and the Effect of Disease Severity on Quality of Life in Patients with Acne Vulgaris**
Melek Aslan Kayıran, Filiz Cebeci, Ayşe Serap Karadağ, Vefa Aslı Erdemir, Mehmet Salih Gürel; İstanbul, Turkey